ABXT Demonstration Project 2011 Summary and Preliminary Results

CDR Elizabeth Sanabia, PhD, USN

United States Naval Academy, Annapolis, MD

Dr. Peter Black


SAIC and Naval Research Laboratory, Monterey, CA

2011 NOAA Hurricane Conference

29 November 2011

Background

- The 65th Interdepartmental Hurricane Conference working group agenda item added March 2011
- ABXT demonstration project in support of hurricane coupled modeling products and improvement in guidance to NHC hurricane specialists




Sea-surface observations in NAVO NCODA (prior to NCOM / HYCOM and COAMPS)


A Group Effort



2011 by the numbers


- **109** AXBTs deployed over **12** missions in **31** days:
 - Hurricane Irene (3 flights)
 - Tropical Storm Don (2 flights)
 - Tropical Storm Emily (3 flights)
 - Pre-TS Harvey (1 flight)
 - 2 training & 1 transit flights
- 85 AXBTs passed the initial QC check at NAVO.
- 8 SOPs developed for data collection, processing, dissemination, and archiving






TROPIC Field Phase

1. Goal: Get the ocean data from the aircraft into the coupled models in as near real time as possible.




TROPIC Field Phase

- **1. Goal:** Get the ocean data from the aircraft into the coupled models in as near real time as possible.
- 2. Midshipmen Role: Collect, process, disseminate



AXBT Data Path




TROPIC Field Phase

1. Goal: Get the ocean data from the aircraft into the coupled models in as near real time as possible.


1st ever upload of ocean observations into HWRF

2. Midshipmen Role: Collect, process, disseminate

3. Coordination: 53rd WRS, CARCAH, NAVO, NDBC, NRL MRY, NCEP



AXBT Data Path




TROPIC Field Phase

1. Goal: Get the ocean data from the aircraft into the coupled models in as near real time as possible.

1st ever upload of ocean observations into HWRF

- 2. Midshipmen Role: Collect, process, disseminate
- 3. Coordination: 53rd WRS, CARCAH, NAVO, NDBC, NRL MRY, NCEP





TROPIC Field Phase

- **1. Goal:** Get the ocean data from the aircraft into the coupled models in as near real time as possible.
- 2. Midshipmen Role: Collect, process, disseminate
- 3. Coordination: 53rd WRS, CARCAH, NAVO, NDBC, NRL MRY, NCEP

Operational Results & Status: HWRF

July 28 – 29, 2011






Data: Timing and Quality

- Most data not received in near real time in 2011.
- Currently able to receive and decode in real time.
- Data quality occasionally questionable.
- Need to improve QC system.


Operational Results & Status: HWRF



xx001.201108: year 2011



<u>AXBT Impact Study – Hurricane Emily</u>




Run with AXBT

- AXBT assimilation run has a 0.3°C warmer SST than the run without the AXBT
- Slight trackdifference after12h



<u>AXBT Impact Study – Hurricane Irene</u>




2011082700 run

- ➤ Very little track and intensity difference
- ➤5 out of 10 AXBTs (Xs) were used in the AXBT data assimilation run
- ➤ Need to change NCODA profile selection criteria



<u>AXBT Impact Study – Hurricane Irene</u>




20110827**12** run

- ➤ 2 knots smaller intensity error with the AXBT assimilation run
- ➤ No track difference
- ➤3 out of 8
 AXBTs (Xs) were
 used in the AXBT
 data
 assimilation run

Midshipmen Projects


Upper ocean heat loss following TC passage

- Mechanisms
- Comparison to model
- Evaluation of intensity changes for slow-moving systems



Model vs. observed ocean heat content

- Initial results indicate the model underestimates the ocean heat content, and the greater the observed oce heat content, the greater the error.
- Investigation ongoing with regard to error relative to storm track (greater left or right, ahead or behind)
- Impact of differences on statistical model intensity forecasts.



Current Operations: Topics and Challenges

Equipment

- Re-design of AXBT launcher
- Availability of modified launchers

Data & Data Path

- Standardize Quality Control
- Standardize Archive Procedures
- Resolution
 - AXBT JJVV vs. high-res temp profile data
 - Impact of decimation
- Timing
 - NAVO: Real-Time Data Handling System
 - 2-hr binning
 - "black hole"
 - COAMPS: scheduling model runs
- Assimilation
 - Analysis will reject profiles if the sample:
 - does not reach at least 300m or
 - half the water column depth

Sampling strategy

- Model sensitivity to observation position
- Real-time tracking of ocean features and aircraft position



5-yr Outlook

Year	Duration	Data Collection Focus	Modeling Focus
2011	1 month (Jul-Aug)	Launcher, QC, Timing	Data Path (time), Assimilation
2012	2 months (Aug-Sep)	QC, Drop Patterns	Assimilation in near-real-time
2013	2 months (Aug-Sep)	QC, Drop Patterns, Automation	Assimilation in near-real-time
2014	2 months (Aug-Sep)	Automation	Real-time runs
2015	2 months (Aug-Sep)	Transition	Real-time runs



QUESTIONS?

29 NOV 2011

TROPIC 2011 Field Phase July-August 2011

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
	JUL 25 Dep: USNA Arr: Keesler Equip setup	26 NAS Pensacola	27 Equipment training	Flight 1 TS DON	Flight 2 TS DON	30 Prep / load for St Croix
31-TRANSIT Dep Keesler Arr: St Croix Equip setup	AUG 01 Flight 3 pre-EMILY	02 -OFF-	Flight 4 TS EMILY	O4 Flight 5 TS EMILY	05 TRANSIT Dep St Croix Arr: Keesler Equip setup	06 -OFF-
07 Flight Cancelled	08 SOP Development-1	09 SOP Development-2	Flight 6 Training	Flight 7 Training	12 Prep / load for St Croix	13 -TRANSIT Dep Keesler Arr: St Croix Equip setup
14 -OFF-	15 Flight Cancelled	16 - Flight Cancelled Prep gear to redeploy	17 Mids→USNA Flight 8 Pre-HARVEY	18	Flight 9 Transit	20
21	USNA Classes Begin	23	24	25	26 Mids→Keesler Flight 10 IRENE	27 Txt-Savannah Flight 11 IRENE
28 Mids→CHAR Flight 12 IRENE	29 Dep: Charlotte Arr: USNA	Midshipmen forward deployed w/ 53 rd WRS in: St Croix Savannah, GA				

Background

- Preliminary results from the ABXT demonstration project in support of hurricane coupled modeling products and improvement in guidance to NHC hurricane specialists
- Peter Black, Naval Research Lab and SAIC, Inc.; and Elizabeth Sanabia, US Naval Academy
- Summary: The first year of the hurricane ABXT demo project mandated at the 65th Interdepartmental Hurricane Conference Working Group for Hurricanes and Winter Storms has been completed. A total of 107 ABXTs were deployed and transmitted in near-time from WC-130J aircraft on 12 flights in 4 storms, including Hurricane Irene where 40 ABXTs were deployed. A total of 85 ABXTs passed the quality control tests and were ingested into the Stennis ocean model and the coupled COAMPS-TS model. A preliminary description of the strategies employed and use of data in two coupled modeling centers will be described.